Haier

Pinnacle Wall-Mounted Split System

Heating and cooling with air purification for true comfort.





Our Brand

Empowering smarter, happier, and healthier living, Haier leads with smart technologies across a range of home appliances. Haier is the number one brand of connected air conditioner (including smart air conditioner) and the number one brand of healthy Self-Clean air conditioner in the world, measured in terms of retail sales volume in 2023.*

Award Winning	Global Scale
#1 SMART AIR CONDITIONING BRAND IN THE WORLD*	OPERATING IN 160 COUNTRIES
Heating and cooling expertise	As one of the world in China in 1984, of and residential air o trusted in homes an In Australasia, Haie a trusted brand tha leverage Haier's glo to provide industry in Australia and New
5 year warranty	Enjoy peace of min



I's largest heating and cooling brands, Haier, founded fers a comprehensive range of industrial, commercial, conditioning and water heating products. These are nd businesses across the globe.

r's strength is complemented by Fisher & Paykel, at is now part of the Haier Group. Together, they bbal reach and Fisher & Paykel's local service network -leading products and support to our customers w Zealand.

d with a 5 year manufacturer's warranty.

Key Features Pinnacle

2.5, 3.5, 5.0, 7.0kW



Continuously clean air

Air is purified through a combination of air filtration through the Exquisite Filter, an additional tri-colour filter as well as UV Protect sterilisation. With a push of a button, your heat pump initiates Self-Clean, reducing dust and bacteria and also improves efficiency by keeping the heat exchanger clean.

Inhibits airborne germs

Health mode uses UV Protect sterilisation – ultraviolet LED technology used in hospital surface disinfection – to help inhibit airborne bacteria and viruses. The built-in LED UV lights have been shown to inhibit airborne bacteria and viruses at more than 91% effectiveness under specific test conditions.*

Modern design

Softly curved, matte design seamlessly fits into almost any space. Progressive design isn't just aesthetics, from the use of a low Global Warming Potential refrigerant to Wi-Fi connectivity and wireless control through the SmartHQ[™] app, Pinnacle is future-focussed.


Intelligent airflow

Highly engineered airflow to automatically direct warm or cool air for ideal air circulation, air throw of up to 20m and Turbo Cool for fast cooling relief, all designed to create consistent comfort.



Healthy Air


Focusing on air quality, Haier has developed a range of technologies that help to keep your heat pump clean, functioning efficiently, and putting out fresh, clean air into your home.



UV Protect sterilisation

UV Protect helps to deliver clean air to your room using Health mode, with built-in LED UV lights that kill airborne Staphylococcus aureus bacteria and the H3N2 virus at more than 91% effectiveness under specific test conditions.*

UV STERILISATION





Cleaner indoor air

In addition to the self-cleaning technology within the indoor unit, Pinnacle has a Self-Clean function for the outdoor unit, helping avoid corrosion. By activating freezeand-defrost Cold Expansion technology, which loosens, then flushes, salt and dirt away from the outdoor coil, you keep your outdoor unit cleaner, effortlessly.

Self-Clean on outdoor unit

The Self-Clean function rapidly freezes and defrosts the coil to remove unwanted dirt, mould, and dust. Self-Clean technology helps ensure clean airflow from your heat pump.

06


* Independent testing has found 91.47% elimination of the H3N2 virus in a 30m2 closed room and 92.78% of Staphylococcus aureus bacteria in a 10m3 closed room, for two hours on Health mode at the highest fan speed


Antibacterial technology

An internal coating of silver nanoparticles can inhibit bacterial growth on the surfaces of the indoor unit.

Efficient Design

The global No. 1 connected air conditioner brand^{*}, Haier makes life easier with convenient control of your Wi-Fi enabled appliances through the SmartHQ[™] app





pump from anywhere.

Intuitive hands-free control

With voice control through Google Home Assistant or Amazon Alexa you can control your heat pump and ensure the perfect environment without getting off the couch. Try commands like 'Set the heat pump to 20 degrees', or 'Turn off the heat pump'.

Control and monitor

Control temperature, operating mode and fan speed, all from your SmartHQ[™] app. Check if you remembered to turn the heat pump off, or set up a schedule to heat or cool your room to the perfect temperature.

Connected home

With Haier and Fisher & Paykel appliances able to be connected to the SmartHQ[™] app, you can check in and manage all your other connected appliances, as well as control your heat pump.

A combination of Intelligent Air, Coanda Plus Airflow and Turbo Cooling technologies work to deliver air around your space in a more intuitive way to warm or cool your space more quickly.



R32 refrigerant

R32 – the refrigerant used in your Pinnacle wall mounted split system to transfer heat between the indoor and outdoor units – has a Global Warming Potential (GWP) of 675, 66% lower than alternative refrigerants like R410A.*

Intelligent Air

Intelligent Air directs cold air upwards and warm air downwards, for effective heating or cooling. Cool air is directed towards the ceiling avoiding a drafty chill on your neck from the cold airflow. The cool air then diffuses from the ceiling to the floor for total comfort.

Coanda Plus

In our 2.5-7kW models, Coanda Plus Airflow utilises technology from aircraft design, so that air flows further and faster to every corner of the room, giving you a more even and comfortable space.

With innovative fan and motor reaches long distances – as much

* Data source: Euromonitor International Ltd., measured in terms of retail sales volume in 2023, based on research completed by February 2024. Connected air conditioner is defined as air conditioners with connectivity capability to communicate with other appliances and/or other devices and/or consumers.



08

Sleep mode

A specially developed Sleep mode raises, lowers and maintains the temperature of your bedroom throughout the night to create an ideal sleeping environment, hour by hour.

Far-reaching air flow

technology, air from your Pinnacle as 20 metres with the 7kW model.

Turbo Cooling

The Turbo program boosts the fan to work at a higher speed, bringing you a cool room in a shorter time.

Specifications

Indoor units

10

Model AS35PBDHRA (3.5kW) Model AS53PDDHRA (5.0kW) Model AS71PDDHRA (7.0kW)

Model AS26PBDHRA (2.5kW)

Outdoor units

Model 1U26MACFRA (2.5kW) Model 1U35MACFRA (3.5kW) Model 1U53RACFRA (5.0kW) Model 1U71RACFRA (7.0kW)

– Simple button design

the remote buttons.

- Precise temperature control

 Clearer messaging with HEAT and COOL displayed in words on



Controller

YR-HE, ver 2



			_
	Set	AS26PBDHRA-SET	
Model	Indoor	AS26PBDHRA	
	Outdoor	1U26MADFRA	
ZERL star rating	Cooling (Hot/Avg/Cold)	4.5/4.0/4.0	
	Heating (Hot/Avg/Cold)	3.5/3.0/2.0	
Capacity (kW) Rated (min~max)	Cooling (kW)	2.5 (1.2 ~ 3.0)	
	Heating (kW)	3.0 (1.2 ~ 3.6)	
Power input (kW)	Cooling	0.56 (0.23 ~ 1.18)	
Rated (min~max)	Heating	0.68 (0.21 ~ 1.5)	
EER/AEER		4.46/4.40	
COP/ACOP		4.41/4.36	
Electrical			
	Cooling	2.5	
Rated load amps (Amp)	Heating	2.9	
MCA max circuit amps (Am	p)	7.2	
Breaker size (Amp)		10	
Power cable connection loc	cation		
Power supply (Ph/V/Hz)			
Refrigeration			
Refrigerant type			
Refrigerant factory charge	(kg)	0.80	
	Liquid Line mm (inch)		
Pipe size	Suction Line mm (inch)	9.52	2 (3/8)
Pipe length (min~max)			-15
Maximum height difference (m)		1	10
Precharged up to a length (m)			7
Additional refrigerant (gran			
Indoor unit			
Model		AS26PBDHRA	
		805/200/292	
Net dimensions – W/D/H (mm)		8.7	
Net weight (kg)		155/133/97	
Air flow T/H/M/L Cooling (L/S)		40/36/32/21	
Sound pressure level – SWL (dBA)		40/36/32/21	
Remote			
Outdoor unit			
Model		1U26MADFRA	
Net dimension (mm)	W/D/H	800/275/553	
Net weight (kg)		29.7	
Compressor type			
Sound pressure level (dBA)		51	
Sound power level (dBA) 59			
Operating temperature ra	nge		
Outdoor (min~max)	Cooling (kW)		
Outdoor (min~max)	Heating (kW)		

AS35PBDHRA-SET	AS53PDDHRA-SET	AS71PDDHRA-SET
AS35PBDHRA	AS53PDDHRA	AS71PDDHRA
1U35MADFRA	1U53WADFRA	1U71WADFRA
3.5/3.5/3.5	3.5/3.0/3.5	2.5/2.5/2.5
3.0/2.5/1.5	3.0/2.5/2.0	2.5/2.0/1.5
3.5 (1.2 ~ 3.9)	5.0 (1.3 ~ 5.5)	7.0 (1.8 ~ 7.5)
3.7 (1.3 ~ 4.3)	5.5 (1.4 ~ 6.2)	7.6 (1.8 ~ 8.2)
0.92 (0.30 ~ 1.4)	1.30 (0.2 ~ 1.9)	2.12 (0.3 ~ 2.6)
1.0 (0.29 ~ 1.7)	1.4 (0.2 ~ 2.5)	2.27 (0.3 ~ 2.7)
3.80/3.76	3.85/3.82	3.30/3.29
3.70/3.66	3.93/3.91	3.35/3.29

4.1		6.0	9.5
4.4		6.4	10.0
8.1		11.0	12.2
10		16	20
	Out	door	
	1/220-	240/50	

R	32	
0.84	1.02	1.10
6.35	5 (1/4)	
	12.7	10 (1/2)
	3-	-25
	15	
	1	10
2	20	

AS35PBDHRA	AS53PDDHRA	AS71PDDHRA
805/200/292	970/220/320	970/220/320
8.7	11.6	11.6
180/152/125	260/228/195	305/260/220
40/36/32/22	47/43/37/33	48/44/38/33
YR	-HE	

1U35MADFRA	1U53WADFRA	1U71WADFRA
800/275/553	890/340/705	890/340/705
30.0	43.2	43.5
Ro	tary	
53	53	54
63	66	67

-10°C to +46°C -15°C to +24°C

Customer Care

Visit the website for more information New Zealand: haierhome.co.nz

Customer support and service booking New Zealand: support.haier.co.nz/s/book-a-service



LEARN MORE ABOUT OUR PRODUCT HERE

Haier